	Application No.	Applicant(s)	_
09/	09/760,115	ODAOHHARA ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Thuan N. Du	2116	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED ir 5) or other appropriate commu RIGHTS. This application is s	n this application. If not included unication will be mailed in due course. <b>TH</b>	IS iative
1. $\boxtimes$ This communication is responsive to <u>amendment filed or</u>	<u>1 7/20/2004</u> .		
2. 🛮 The allowed claim(s) is/are <u>1,2,7,10,11,16,19,20,23 and</u>	24 (renumbered as 1-10).		
3. X The drawings filed on <u>02 May 2001</u> are accepted by the	Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents ha</li> <li>2.  Certified copies of the priority documents ha</li> <li>3.  Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	ve been received. ve been received in Applicatio	on No	10
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	IMENT of this application.		
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which g</li> </ol>			
<ol> <li>CORRECTED DRAWINGS (as "replacement sheets") m         <ul> <li>(a) including changes required by the Notice of Draftspe</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examine Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in</li> </ul> </li> </ol>	erson's Patent Drawing Review  er's Amendment / Comment or t 1.84(c)) should be written on the header according to 37 CF	in the Office action of ne drawings in the front (not the back) of R 1.121(d).	
<ol> <li>DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMEN</li> </ol>			
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SE Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	) 6. ☐ Interview Si Paper No./ 3/08), 7. ☑ Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), 'Mail Date Amendment/Comment Statement of Reasons for Allowance	

Application/Control Number: 09/760,115

Art Unit: 2116

## EXAMINER'S AMENDMENT

- An examiner's amendment to the record appears below.
   Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
   To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. The application has been amended as follows:
- 3. Pursuant to MPEP 606.01, the title has been changed to read:
- -- SYSTEM FOR CONTROLLING POWER OF COMPUTER

  DEPENDING ON TEST RESULT OF A POWER-ON SELF TEST --

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuan N. Du whose telephone number is (703) 308-6292 (after 10/14/2004, (571) 272-3673). The examiner can normally be reached on Monday-Friday: 9:00 AM - 5:30 PM, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne H. Browne can be reached on (703) 308-1159 (after 10/14/2004, (571) 272-3670).

Art Unit: 2116

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

The fax number for the organization is (703) 872-9306.

LYNNE H. BROWNE SUPERVISORY PATENT DEPARTMENT TECHNOLOGY CENTER 3600 2100

Thuan N. Du September 22, 2004